




AUTOLATHE-S1

PRECISION JEWELLERY
MACHINES



TECHNICAL SPECIFICATION

		AUTOLATHE-S1
CONTROLLER	MAX CONTROL AXIS AXIS	BOSCH REXROTH 3 X,Z,SP
MAIN SPINDLE	SPINDLE AXIS MAX SPEED RPM POWER	SP 3,000 RPM 1 KW
ROD SIZE	MIN-MAX	15 TO 30 MM
PROFILE MACHINING		Flat, Concave, Convex, Outer and Internal
WORKING AREA	X/Z	210/75 MM
FEED RATE	X/Z	15/15 M/MIN
MAX .CONTROL TORQUE	X/Z	1 KW
INSTALLED POWER	KW	3.5 KW
PNEUMATIC SUPPLY	BAR	6 BAR
DIMENTIONS	L/B/H INCHES	44/53/63
WEIGHT	KGS	625 KG

SPECIFICATION

- * The computerised and numerically controlled (CNC) machine is capable of generating various decoration on convex (Oval) surface.
- * The machine is equipped with CNC controller and AC servo motors to ensure lifelong maintenance free working.
- * The CNC controller is compatible with leading CAD/CAM software available in the market. The programs are generated in (G) codes and (M) codes. The program can also be generated manually.
- * All the machine components are machined on precision CNC machine and are hardened and grounded. These components are individually inspected for the accuracies. The machine is assemble in a controlled environment.



Solanki Mechanic Works

40-W, Bhaktinagar, Udhoygnagar, GIDC, Ind. Estate, Rajkot - 360 002 (Gujarat) India.

☎ +91 281 2362189 | 📞 +91 281 2376386

✉ info@soliyo.com • solankimachines@gmail.com | 🌐 www.soliyo.com