




SB-2C

CNC SINGLE BALL AND BEAD FACETING MACHINE



TECHNICAL SPECIFICATION

		SB-2C
CONTROLLER	MAX CONTROL AXIS MAX SIM CONTROL AXIS AXIS	BOSCH REXROTH MTX-MICRO 4 3 Z,C1,C2,SP
SPINDLE POWER		750 W
MAX SPPED		12000 RPM
MAX TOURQUE		750 W
FEED RATE	C1, C2, Z	10000 MM/Min.
MAX MOTOR TOURQUE		400/400/400/W
INSTALLED POWER	KW	2 KW
PNEUMATIC SUPPLY	BAR	6 BAR
DIMENSION	L / B/ H INCHES	55 X 53 X 76 INCHES
WEIGHT	KGS	350 KGS

SPECIFICATION

- * The computerised and numerically controlled (CNC) machine is capable of generating various decoration on flat and convex (Oval) surface.
- * The machine is equipped with CNC controller and AC servo motors to ensure lifelong maintenance free working.
- * The CNC controller is compatible with leading CAD/CAM software available in the market. The programs are generated in (G) codes and (M) codes. The program can also be generated manually.
- * All the machine components are machined on precision CNC machine and are hardened and grounded. These components are individually inspected for the accuries. The machine is assemble in a controlled environment.



Solanki Mechanical Works

40-W, Bhaktinagar, Udhyognagar, GIDC, Ind. Estate, Rajkot - 360 002 (Gujarat) India.

☎ +91 281 2362189 | 📞 +91 281 2376386

✉ info@soliyo.com • solankimachines@gmail.com | 🌐 www.soliyo.com