

TECHNICAL SPECIFICATION

		SB-2PM
CONTROLLER	MAX CONTROL AXIS MAX SIM CONTROL AXIS AXIS	BOSCH REXROTH 5 4 Z,SP,C,A,B
NUMBER OF HEADS		HORIZONTAL
MAIN SPINDLE	SPINDLE AXIS MAX SPEED MAX TOOL DIA MOTOR POWER	SP-1 12,000 RPM 40 MM 400 W
BALL SIZE	MIN-MAX	2-6 MM
WORKING AREA	B/A Z	70/180 DEG 50 MM
MAX CONTROL TORQUE	B/A/C Z/SP	400 W 100 W
INSTALLED POWER	ĸw	4 KW
PNEUMATIC SUPPLY	BAR	6 BAR
DIMENTIONS	L / B / H INCHES	34 X 27 X 62 INCHES
WEIGHT	KGS	325 KGS

SPECIFICATION

- * The computerised and numerically controlled (CNC) machine is capable of generating various decoration on convex (Oval) surface.
- * The machine is equipped with CNC controller and AC servo motors to ensure lifelong maintenance free working.
- * The CNC controller programs are generated in (G) codes and (M) codes manually.
- * All the machine components are machined on precision CNC machine and are hardened and grounded. These components are individually inspected for the accuries. The machine is assemble in a controlled environment.



Solanki Mechanic Works

40-W, Bhaktinagar, Udhyognagar, GIDC, Ind. Estate, Rajkot - 360 002 (Gujarat) India. ✔ +91 281 2362189 | ✔ +91 281 2376386

Sinfo@soliyo.com • solankimachines@gmail.com | (*) www.soliyo.com